## **THEATRE SPOTLIGHTS**

Designed especially for theatrical lighting, these fixtures are available with a choice of warm white or colourful RGBW LEDs.

Cameo Theatre Spotlights feature precision plano-convex lenses, RDM capability and come with barn doors and a filter frame.









## **TS 40 WW / TS 40 WW WH**

## THEATRE SPOTLIGHT WITH PC LENS AND 40 WATT WARM WHITE LED



- ▶ High-intensity warm white 40 W LED
- Plano-convex lens
- ▶ Continuously adjustable manual zoom with a beam angle of 14° to 38°
- ► RDM enabled
- ▶ 18,000 lux @ 1 m

- > 3,200 K colour temperature
- ► CRI >90
- ► Flicker-free projection
- ▶ Rugged metal housing with convection cooling
- Includes rotatable wing limiter and colour filter frame





















## // SPECIFICATIONS

Product Number:	CLTS40WW / CLTS40WWWH
Product Type:	LED PAR Lighting
Type:	Indoor
Colour Spectrum:	Warm White
Number Of LEDs:	1
Colour Temperature:	3.200 K
CRI:	>90
LED Type:	Warm White 40 W / 60 W
Refresh Rate:	1,200 MHz / 3,600 MHz
Flash Rate Strobe:	1 - 20 Hz
Dispersion:	(Beam) 14° - 38° / (Field) 20° - 48°
DMX Input / Output:	XLR 3-Pin Male / XLR 3-Pin Female
Protocols:	USITT DMX 512 Protocol
DMX Mode:	3-Channel
DMX Functions:	Dimmer, Dimmer Curve, Strobe
Wireless DMX:	No

Standalone Modes:	Static
Controls:	Down, Enter, Mode, Up
Indicators:	LC Display
Operating Voltage:	100 V AC - 240 V AC, 50 - 60 Hz
Power Consumption:	40 W
Power Connector:	Power Cord With Safety Plug (Type E / CEE 7/7)
Housing Material:	Die Cast Metal
Cabinet Colour:	Black / White
Cooling:	Convection
Illuminance:	18,000 lx @ 1 m
Luminous Flux:	1,570 lm
Operating Temperature:	0 - 40 °C
Dimensions (W x H x L):	145 x 205 x 240 mm
Weight:	3.6 kg
Accessories (included):	Barndoor







