

## **USB-P**

### **Application:**

The USB-P is a USB audio device with transformer isolated balanced stereo outputs for connecting a computer to a sound system.

### **Description:**

The USB-P fills the need when you need to run stereo audio from a computer into a sound system. Connecting a computer to a sound system is often a challenge. Ground loops are often a problem when connecting computer audio to a sound system. The problem gets worse if there is a projector connected to the computer. The USB-P works well whether the computer is located near the console or on stage. As the name implies, the USB-P connects to the USB port of the computer and appears as a stereo output device. Depending on your computer operating system, you may need to select the USB audio device for output on the program you are using. The dual transformers in the USB-P provide the balanced outputs and ground isolation required when interfacing a computer to a sound system.

### **Features:**

- Standard USB audio Device
- Transformer Isolation
- Ground Lifted balanced outputs
- Playback only
- USB powered
- Switch for Stereo or Mono output operation
- Rugged construction

### **Connections and Controls:**

- USB B type connector
- Left and Right XLR outputs
- Stereo/Mono Switch

**Specifications:**

Frequency Response:

20 Hz to 20 kHz +/- 1 dB

THD + Noise:

&lt; .015% @ 1 kHz, -9 dBu full scale output into 10k Ohm

Hum and Noise:

&lt; 89 dB below full scale output

Output level:

-9 dBu Full scale into 10k Ohm Line input

-13 dBu Full scale into 2k Ohm Mic input

**Ground lift:**

The ground lift is always engaged on the XLR outputs

Power:

The power for the USB-P is provided by the USB connection

Dimensions:

1.6 x 4 x 4 inches

41 x 104 x 104 mm (H x W x D)

Weight:

10 Ounces

0.29 kg